



Q Crane & Plant Hire Limited

0161 620 2115

www.qcraneandplanthire.co.uk



Kobelco – CKE800 Crawler Crane

Year of manufacture – 2001

Serial No – GG03-02022

Boom type – Lattice

Latest inspection – March 2026

Maximum lift capacity – 80T

Boom length – 51.8M Main Boom

Optional Fly Jib – 18.3M

Certificates – CE Marked

Various hook blocks available



Q Crane & Plant Hire Limited

0161 620 2115

www.qcraneandplanthire.co.uk

Other information

Kobelco CKE800 – 80T Crawler Crane for sale, Machine is in very good working condition, comes complete with 51.8m main boom, optional 18.3m fly jib and a choice of hook blocks This machine has been maintained to a very high standard and is ready for immediate work. Latest inspection due March 2026

Key Features

- Owned and maintained since 2009
- Reliable and robust manufactured crane
- No AdBlue or DPF
- Cast type track pads
- Pick and carry capabilities
- Free fall capabilities

Load Chart

「CKE800 CRAWLER CRANE RATED LOADS (WITH AUXILIARY SHEAVE)」

(UNIT: METRIC TONS)

BOOM LENGTH LOAD RADIUS	12. 2m	15. 2m	18. 3m	21. 3m	24. 4m	27. 4m	30. 5m	33. 5m	36. 6m	39. 6m	42. 7m	BOOM LENGTH LOAD RADIUS
3. 0m	79. 8	3. 4m/78. 7	3. 9m/71. 7									3. 0m
4. 0m	69. 6	69. 2	69. 8	4. 3m/60. 7	4. 7m/52. 9							4. 0m
5. 0m	56. 2	55. 8	53. 5	50. 7	48. 2	5. 1m/44. 8	5. 6m/39. 0					5. 0m
6. 0m	45. 3	45. 2	43. 2	41. 3	39. 5	37. 9	36. 4	35. 0	6. 4m/31. 7	6. 8m/28. 7		6. 0m
7. 0m	35. 5	35. 4	35. 4	34. 7	33. 4	32. 2	31. 0	30. 0	28. 9	27. 9	7. 3m/26. 0	7. 0m
8. 0m	29. 4	29. 3	29. 0	28. 9	28. 9	27. 9	26. 9	26. 1	25. 3	24. 5	23. 7	8. 0m
9. 0m	24. 9	24. 6	24. 6	24. 6	24. 5	24. 4	23. 8	23. 1	22. 4	21. 7	21. 1	9. 0m
10. 0m	21. 4	21. 4	21. 3	21. 2	21. 1	21. 1	21. 0	20. 6	20. 0	19. 4	18. 9	10. 0m
12. 0m	11. 8m/17. 1	16. 8	16. 6	16. 5	16. 4	16. 3	16. 3	16. 3	16. 2	16. 0	15. 6	12. 0m
14. 0m		13. 7	13. 6	13. 5	13. 4	13. 3	13. 2	13. 2	13. 1	13. 0	13. 0	14. 0m
16. 0m		14. 4m/13. 2	11. 5	11. 4	11. 2	11. 1	11. 1	11. 0	10. 9	10. 8	10. 7	16. 0m
18. 0m			9. 8	9. 7	9. 6	9. 5	9. 4	9. 3	9. 2	9. 1	9. 1	18. 0m
20. 0m			18. 3m/9. 6	19. 8m/8. 6	8. 4	8. 2	8. 2	8. 1	8. 0	7. 8	7. 8	20. 0m
22. 0m					7. 4	7. 3	7. 2	7. 1	7. 0	6. 9	6. 8	22. 0m
24. 0m					22. 3m/7. 3	6. 4	6. 3	6. 3	6. 2	6. 0	5. 9	24. 0m
26. 0m						24. 9m/6. 1	5. 6	5. 6	5. 4	5. 3	5. 3	26. 0m
28. 0m							27. 6m/5. 2	5. 0	4. 9	4. 8	4. 7	28. 0m
30. 0m								4. 6	4. 4	4. 2	4. 2	30. 0m
32. 0m								30. 2m/4. 5	4. 0	3. 8	3. 8	32. 0m
34. 0m									32. 9m/3. 8	3. 5	3. 4	34. 0m
36. 0m										35. 5m/3. 3	3. 1	36. 0m
38. 0m											2. 8	38. 0m
40. 0m											38. 1m/2. 7	40. 0m

※Ratings according to DIN 15018/3 and prEN13000.

Ratings shown in are determined by the strength of the boom or other structural components.

Weight of hooks, hook blocks, slings and other lifting devices are a part of the total load.

Their total weight must be subtracted from the rated load to obtain the weight that can be lifted.

This rating chart is only for GG03-02022 and GG03-02023.

14S7327-3



Q Crane & Plant Hire Limited

0161 620 2115

www.qcraneandplanthire.co.uk

TCKE800 CRAWLER CRANE RATED LOADS (WITH AUXILIARY SHEAVE) J

(UNIT: METRIC TONS)

BOOM LENGTH LOAD RADIUS	45.7m	48.8m	51.8m	54.9m	57.9m		BOOM LENGTH LOAD RADIUS
7.0m	7.7m/24.0						7.0m
8.0m	23.0	8.1m/20.8	8.5m/16.2				8.0m
9.0m	20.6	19.3	15.8	11.3	9.4m/7.4		9.0m
10.0m	18.4	17.8	14.9	10.7	7.1		10.0m
12.0m	15.2	14.7	13.3	9.5	6.2		12.0m
14.0m	12.8	12.4	12.0	8.6	5.4		14.0m
16.0m	10.7	10.6	10.3	7.7	4.8		16.0m
18.0m	9.1	9.0	8.9	7.0	4.2		18.0m
20.0m	7.7	7.7	7.6	6.3	3.7		20.0m
22.0m	6.7	6.7	6.6	5.8	3.3		22.0m
24.0m	5.9	5.9	5.7	5.3	2.8		24.0m
26.0m	5.2	5.2	5.0	4.8	2.5		26.0m
28.0m	4.6	4.6	4.5	4.3	2.1		28.0m
30.0m	4.1	4.1	4.0	3.8	1.8		30.0m
32.0m	3.7	3.6	3.5	3.4	1.5		32.0m
34.0m	3.3	3.2	3.1	3.0	1.3		34.0m
36.0m	3.0	2.9	2.8	2.7			36.0m
38.0m	2.7	2.6	2.5	2.4			38.0m
40.0m	2.5	2.4	2.2	2.1			40.0m
42.0m	40.8m/2.4	2.2	2.0	1.9			42.0m
44.0m		43.4m/2.0	1.8	1.7			44.0m
46.0m			1.6	1.4			46.0m
48.0m				1.1			48.0m

※Ratings according to DIN 15018/3 and prEN13000.

Ratings shown in are determined by the strength of the boom or other structural components.

Weight of hooks, hook blocks, slings and other lifting devices are a part of the total load.

Their total weight must be subtracted from the rated load to obtain the weight that can be lifted.

This rating chart is only for GG03-02022 and GG03-02023.

14S7327-4